



UD TRUCKS

Condor

PW 26 300



SPECIFICATIONS

Power:	221 kW (300 PS) @ 2200 rpm
Torque:	984 Nm @ 1000 rpm
Transmission:	Allison 3500 series
Suspension:	Air or Leaf suspension*
Emission:	Euro 6 Standard
Wheelbase:	4595 mm* (P. Wheelbase) 5485 mm* (S. Wheelbase) 6655 mm* (W. Wheelbase)
GVM:	26,000 kg

*Note: PK 26 300 shown may not be representative of actual vehicle. Suspension options are limited on some wheelbase options. Refer to the Major Dimensions table.

CONDOR UNIQUE FEATURES



POWERFUL AND FUEL EFFICIENT

Euro 6 emission standards, turbo diesel engine, fuel efficient, powerful and smooth.



NEXT GENERATION POWERTRAIN

Streamlined aerodynamics with an exterior designed to work as hard as you do.



CUTTING EDGE SAFETY

The new Advanced Driver Assistance Systems (ADAS) help reduce risk and enhance control in all driving conditions.



DESIGNED FOR PRODUCTIVITY

Lightweight chassis helping to maximise payload.



BUILT FOR THE DRIVER

Driver comfort meets smart interior design. A cab designed combining ergonomic innovation with driver-first functionality.



UD TRUCKS


UD Trucks Distributors (NZ) Ltd
udtrucks.co.nz

MECHANICAL SPECIFICATIONS

ENGINE

Model:	DB6A-TCC
Description:	6 Cylinder Turbo Diesel, Intercooler
Displacement:	6,690 cc
Max. Power:	221kw (300ps) @ 2,200rpm
Max. Torque:	984Nm @ 1,000rpm

PERFORMANCE:



FUEL CAPACITY

Leaf Suspension:	200L WB4595 (Aluminum Tank) 400L WB5485 (Aluminum Tank)
Air Suspension:	400L WB6655 (Aluminum Tank)

EMISSION CONTROL

Emission standard:	Euro 6 - C
AdBlue capacity:	65L
Exhaust system:	RHS chassis mounted box muffler

ELECTRICAL

Power:	24V
Battery capacity:	115E41L
Alternator:	90 Amp

TRANSMISSION

Make:	Allison 3,500 Series
Model:	MD3560
Description:	6 speed fully automatic
Shift type:	Push button shift selector
Gear Ratios:	1st 4.593 2nd 2.257 3rd 1.535 4th 1.000 5th 0.749 6th 0.651 REV 4.999

FRONT AXLE AND SUSPENSION SYSTEM

Front Axle Rating:	7,300kg
---------------------------	---------

REAR AXLE AND SUSPENSION SYSTEM

Rear Axle Rating:	19,000kg
--------------------------	----------

BRAKES

Type:	Brake Disc with Brake Pad Wear Indicator
Auxiliary brake:	Engine Brake (Compression Release Engine Brake)

STEERING

Column:	Adjustable, tilt and telescopic control
Steering wheel:	440mm diameter

FRAME

Width:	870mm
Side rail dimensions:	305mm x 90mm x 8.0mm

WHEELS & TYRES

	PW26300L	PW26300L	PW26300AS
Model:	PW26300L	PW26300L	PW26300AS
Front tyres:	295/80 R22.5	295/80 R22.5	275/70 R22.5
Rear tyres:	11R/22.5	11R/22.5	11R/22.5
Wheels:	Steel	Steel	ALM (Aluminium)

MAJOR DIMENSIONS

	PW26300L	PW26300L	PW26300AS
Model:	PW26300L	PW26300L	PW26300AS
Wheelbase:	4595	5485	6655
Suspension:	Leaf	Leaf	Air
Wheelbase code:	P	S	W
GVM:	26,000	26,000	26,000
Front tare:	3490	3512	3453
Rear tare:	3630	3823	3114
Total tare:	7120	7335	6567
Overall length:	7755	9280	11755
Overall width:	2485	2485	2485
Overall height:	3000	3000	3000
Front track:	2045	2045	2045
Rear track:	1840	1840	1840
Frame width:	870	870	870
Front overhang:	1255	1255	1255
Rear overhang:	1905	2090	3426
Cab to axle:	4469	5359	6529

DISCLAIMER: Imported and distributed by UD Trucks Distributors (NZ) Ltd. Images for are for illustration purposes only. UD Trucks Distributors (NZ) Ltd reserves the right to modify design and change equipment without prior notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: April 2026.

SAFETY

SAFETY

Passive Safety:	R29 Cabin Front underrun protection system (FUPS) SRS Airbag (Driver & Passenger) Driver side belt in seat
Active Safety:	Lane Departure Warning System (LDWS) Forward Vehicle Start Notification (FVSN) Advanced Emergency Braking System (AEBS)* Distance Warning System Full Speed Range Adaptive Cruise Control Electronic Vehicle Stability Control (ESC) *Forward Vehicle Detection only
Basic Safety:	Full LED Headlights Disc brakes w/ wear indicator


CABIN

INTERNAL CABIN

Seating capacity:	3
Driver's seat:	Premium ISRI Seat
Passenger seat:	Full flat passenger seat
Sleeping capability:	ADR 42/05 compliant sleeper bunk
Side windows:	Power operated door glass
Security:	Remote central locking with immobiliser
Air conditioning:	Auto Climate Control Air Conditioner
Storage:	Centre Console Pull out cup holder
Power outlet:	1x 12V Accessory Socket, 1x USB
DIN accessory fitment:	Two DIN sized compartments
Floor covering:	Vinyl

EXTERNAL CABIN

Cab paint:	Arc White
Mirrors:	Heated and electrically operated main mirrors with flat glass, wide vision and passenger-side downward facing spot mirror
Lamps:	LED Day Running Light LED Turn Signal Light (Front) LED Adaptive Drive Beam Headlight (ADB) LED Fog Light LED Turn Signal Light (Side) Halogen Cornering Light
Wipers:	Triple arm, variable intermittent operation and integrated washers



WARRANTY*

Standard Warranty:	Basic warranty: 24 months 200,000 km – Whichever comes first. Major components: 36 months 200,000 km – Whichever comes first.
Extended Warranty:	60 months 350,000 km 7000 hours – Whichever comes first.

*For Severe Warranty and Major Components coverage, refer to the UD Trucks warranty terms and conditions. Please contact your UD Trucks Dealer for a copy.

DISCLAIMER: Imported and distributed by UD Trucks Distributors (NZ) Ltd. Images for are for illustration purposes only. UD Trucks Distributors (NZ) Ltd reserves the right to modify design and change equipment without prior notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: April 2026.