



UD TRUCKS

Condor

PD 26 300



SPECIFICATIONS

Power:	221 kW (300 PS) @ 2200 rpm
Torque:	984 Nm @ 1000 rpm
Transmission:	Allison 3500 series
Suspension:	Air suspension
Emission:	Euro 6 Standard
Wheelbase:	6655 mm* (W. Wheelbase)
GVM:	26,000 kg

Note: PD 26 300 shown may not be representative of actual vehicle.

CONDOR UNIQUE FEATURES



POWERFUL AND FUEL EFFICIENT

Euro 6 emission standards, turbo diesel engine, fuel efficient, powerful and smooth.



NEXT GENERATION POWERTRAIN

Streamlined aerodynamics with an exterior designed to work as hard as you do.



CUTTING EDGE SAFETY

The new Advanced Driver Assistance Systems (ADAS) help reduce risk and enhance control in all driving conditions.



DESIGNED FOR PRODUCTIVITY

Lightweight chassis helping to maximise payload.



BUILT FOR THE DRIVER

Driver comfort meets smart interior design. A cab designed combining ergonomic innovation with driver-first functionality.



UD TRUCKS


UD Trucks Distributors (NZ) Ltd
udtrucks.co.nz

MECHANICAL SPECIFICATIONS

ENGINE

Model:	DB6A-TCC
Description:	6 Cylinder Turbo Diesel, Intercooler
Displacement:	6,690 cc
Max. Power:	221kw (300ps) @ 2,200rpm
Max. Torque:	984Nm @ 1,000rpm

PERFORMANCE:



FUEL AND INTAKE SYSTEM

Fuel capacity:	400L Std (Aluminium)
-----------------------	----------------------

EMISSION CONTROL

Emission standard:	Euro 6 - C
AdBlue capacity:	65L
Exhaust system:	RHS chassis mounted box muffler

ELECTRICAL

Power:	24V
Battery capacity:	115E41L
Alternator:	90 Amp

TRANSMISSION

Make:	Allison 3,500 Series
Model:	MD3560
Description:	6 speed fully automatic
Shift type:	Push button shift selector
Gear Ratios:	1st 4.593 2nd 2.257 3rd 1.535 4th 1.000 5th 0.749 6th 0.651 REV 4.999

FRONT AXLE AND SUSPENSION SYSTEM

Front Axle Rating:	7,300kg
---------------------------	---------

REAR AXLE AND SUSPENSION SYSTEM

Rear Axle Rating:	19,000kg
--------------------------	----------

BRAKES

Type:	Brake Disc with Brake Pad Wear Indicator
Auxiliary brake:	Engine Brake (Compression Release Engine Brake)

STEERING

Column:	Adjustable, tilt and telescopic control
Steering wheel:	440mm diameter

WHEELS & TYRES

Front tyres:	295/80R22.5
Rear tyres:	11R22.5
Spare tyre:	295/80R22.5
Wheels:	ALM (Aluminium)

MAJOR DIMENSIONS

Model:	PD26300
Suspension:	Air
Wheelbase code:	W
GVM:	26000
Front Tare:	3463
Rear Tare:	3139
Total Tare:	6602
Theoretical Wheelbase:	6655
Overall Length:	11755
Overall Width:	2485
Overall Height:	3000
Front Track:	2045
Rear Track:	1840
Frame Width:	870
Axle Spread:	1370
Front Overhang:	1255
Rear Overhang:	3426
Rear Frame Length:	2741
Cab to Axle:	6529

Note: Tare Weight calculated using Steel Rims (excl fuel, driver tools, spare wheel). Specifications and details shown in this document are subject to change.

DISCLAIMER: Imported and distributed by UD Trucks Distributors (NZ) Ltd. Images for are for illustration purposes only. UD Trucks Distributors (NZ) Ltd reserves the right to modify design and change equipment without prior notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: April 2026.

SAFETY

SAFETY

Passive Safety:	R29 Cabin Front underrun protection system (FUPS) SRS Airbag (Driver & Passenger) Driver side belt in seat
Active Safety:	Lane Departure Warning System (LDWS) Forward Vehicle Start Notification (FVSN) Advanced Emergency Braking System (AEBS)* Distance Warning System Full Speed Range Adaptive Cruise Control Electronic Vehicle Stability Control (ESC) *Forward Vehicle Detection only
Basic Safety:	Full LED Headlights Disc brakes w/ wear indicator



CABIN

INTERNAL CABIN

Seating capacity:	3
Driver's seat:	Premium ISRI Seat
Passenger seat:	Full flat passenger seat
Sleeping capability:	ADR 42/05 compliant sleeper bunk
Side windows:	Power operated door glass
Security:	Remote central locking with immobiliser
Air conditioning:	Auto Climate Control Air Conditioner
Storage:	Centre Console Pull out cup holder
Power outlet:	1x 12V Accessory Socket, 1x USB
DIN accessory fitment:	Two DIN sized compartments
Floor covering:	Vinyl

EXTERNAL CABIN

Cab paint:	Arc White
Mirrors:	Heated and electrically operated main mirrors with flat glass, wide vision and passenger-side downward facing spot mirror
Lamps:	LED Day Running Light LED Turn Signal Light (Front) LED Adaptive Drive Beam Headlight (ADB) LED Fog Light LED Turn Signal Light (Side) Halogen Cornering Light
Wipers:	Triple arm, variable intermittent operation and integrated washers

WARRANTY*

Standard Warranty:	Basic warranty: 24 months 200,000 km – Whichever comes first. Major components: 36 months 200,000 km – Whichever comes first.
Extended Warranty:	60 months 350,000 km 7000 hours – Whichever comes first.

*For Severe Warranty and Major Components coverage, refer to the UD Trucks warranty terms and conditions. Please contact your UD Trucks Dealer for a copy.

DISCLAIMER: Imported and distributed by UD Trucks Distributors (NZ) Ltd. Images for are for illustration purposes only. UD Trucks Distributors (NZ) Ltd reserves the right to modify design and change equipment without prior notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: April 2026.